

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS												
Section 25.10	USE ↓ REGULATIONS ↑	Required Review Process	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)	
			Lot Size	REQUIRED YARDS (See Ch. 115)			Lot Coverage					Height of Structure
				Front	Side	Rear						
.010	Detached Dwelling Units	None	8,500 sq. ft. if PR 8.5 zone, 5,000 sq. ft. if PR 5.0 zone, otherwise 3,600 sq. ft.	20'	5'	10'	70%	If adjoining a low density zone other than RSX, then 25' above average building elevation. Otherwise, 30' above average building elevation. See Spec. Reg. 6.	E	A	2.0 per dwelling unit.	<ol style="list-style-type: none"> For this use, only one dwelling unit may be on each lot regardless of lot size. Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities and activities associated with this use.
.020	Detached, Attached or Stacked Dwelling Units	Within the NE 85th Street Sub-area, D.R., Chapter 142 KZC. Otherwise, none.	8,500 sq. ft. if PR 8.5 zone, 5,000 sq. ft. if PR 5.0 zone, otherwise 3,600 sq. ft. with a density as established on the Zoning Map. See Spec. Reg. 1.		5' for detached units. For attached or stacked units, 5', but 2 side yards must equal at least 15'. See Spec. Reg. 4.	10' See Spec. Reg. 5.			D		1.7 per unit.	<ol style="list-style-type: none"> Minimum amount of lot area per dwelling unit is as follows: <ol style="list-style-type: none"> In PR 8.5 zones, the minimum lot area per unit is 8,500 sq. ft. In PR 5.0 zones, the minimum lot area per unit is 5,000 sq. ft. In PR 3.6 zones, the minimum lot area per unit is 3,600 sq. ft. In PR 2.4 zones, the minimum lot area per unit is 2,400 sq. ft. In PR 1.8 zones, the minimum lot area per unit is 1,800 sq. ft. Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities and activities associated with this use. Chapter 115 KZC contains regulations regarding common recreational space requirements for this use. The side yard may be reduced to zero feet if the side of the dwelling unit is attached to a dwelling unit on an adjoining lot. If one side of a dwelling unit is so attached and the opposite side is not, the side that is not attached must provide a minimum side yard of five feet. The rear yard may be reduced to zero feet if the rear of the dwelling unit is attached to a dwelling unit on an adjoining lot. Where the 25-foot height limitation results solely from an adjoining low density zone occupied by a school that has been allowed to increase its height to at least 30 feet, then a structure height of 30 feet above average building elevation is allowed.



Section 25.10



USE ZONE CHART

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS

Section 25.10	USE ↓ REGULATIONS ↑	Required Review Process	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)	
			Lot Size	REQUIRED YARDS (See Ch. 115)			Lot Coverage					Height of Structure
				Front	Side	Rear						
.030	Office Uses	Within the NE 85th Street Sub-area, D.R., Chapter 142 KZC. Otherwise, none.	None	20'	5' but 2 side yards must equal at least 15'.	10'	70%	If adjoining a low density zone other than RSX, then 25' above average building elevation. Otherwise, 30' above average building elevation.	C	D	If medical, dental or veterinary office, then one per each 200 sq. ft. of gross floor area. Otherwise one per each 300 sq. ft. of gross floor area.	<ol style="list-style-type: none"> 1. The following regulations apply to veterinary offices only: <ol style="list-style-type: none"> a. May only treat small animals on the subject property. b. Outside runs and other outside facilities for the animals are not permitted. c. Site must be designed so that noise from this use will not be audible off the subject property. A certification to this effect, signed by an acoustical engineer, must be submitted with the development permit application. 2. Ancillary assembly and manufacture of goods on the premises of this use are permitted only if: <ol style="list-style-type: none"> a. The ancillary assembled or manufactured goods are subordinate to and dependent on this use. b. The outward appearance and impacts of this use with ancillary assembly or manufacturing activities must be no different from other office uses.

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS												
Section 25.10	 	Required Review Process	MINIMUMS				MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)
			Lot Size	REQUIRED YARDS (See Ch. 115)			Lot Coverage	Height of Structure				
				Front	Side	Rear						
.040	Development Containing Stacked or Attached Dwelling Units and Office Uses. See Spec. Reg. 1.	Within the NE 85th Street Sub-area, D.R., Chapter 142 KZC. Otherwise, none.	3,600 sq. ft. with a residential density as established on the Zoning Map. See Spec. Reg. 2.	20'	5' but 2 side yards must equal at least 15'.	10'	70%	If adjoining a low density zone other than RSX, then 25' above average building elevation. Otherwise, 30' above average building elevation. See Spec. Reg. 6.	C	D	See KZC 105.25.	<ol style="list-style-type: none"> 1. A veterinary office is not permitted in any development containing dwelling units. 2. Minimum amount of lot area per dwelling unit is as follows: <ol style="list-style-type: none"> a. In PR 8.5 zones, the minimum lot area per unit is 8,500 square feet. b. In PR 5.0 zones, the minimum lot area per unit is 5,000 square feet. c. In PR 3.6 zones, the minimum lot area per unit is 3,600 square feet. d. In PR 2.4 zones, the minimum lot area per unit is 2,400 square feet. e. In PR 1.8 zones, the minimum lot area per unit is 1,800 square feet. 3. Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities and activities associated with this use. 4. Chapter 115 KZC contains regulations regarding common recreational space requirements for this use. 5. Ancillary assembly and manufacture of goods on the premises of this use are permitted only if: <ol style="list-style-type: none"> a. The ancillary assembled or manufactured goods are subordinate to and dependent on this use. b. The outward appearance and impacts of this use with ancillary assembly or manufacturing activities must be no different from other office uses. 6. Where the 25-foot height limitation results solely from an adjoining low density zone occupied by a school that has been allowed to increase its height to at least 30 feet, then a structure height of 30 feet above average building elevation is allowed.

Section 25.10



USE ZONE CHART

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS

Section 25.10	USE ↓ REGULATIONS →	Required Review Process	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)	
			Lot Size	REQUIRED YARDS (See Ch. 115)			Lot Coverage					Height of Structure
				Front	Side	Rear						
.050	Restaurant or Tavern	Within the NE 85th Street Subarea, D.R., Chapter 142 KZC.	8,500 sq. ft. if PR 8.5 zone, otherwise 7,200 sq. ft.	20'	5' but 2 side yards must equal at least 15'.	10'	70%	If adjoining a low density zone other than RSX, then 25' above average building elevation. Otherwise, 30' above average building elevation.	B	E	1 per each 100 sq. ft. floor area.	1. This use is not permitted in a PR 3.6 zone located in the NE 85th Street Subarea. 2. Drive-in or drive-through facilities are prohibited.
.060	Grocery Store, Drug Store, Laundromat, Dry Cleaners, Barber Shop, or Shoe Repair Shop	Otherwise, Process I, Chapter 145 KZC.			10' on each side.						20' on each side.	20'
.070	Funeral Home or Mortuary											
.080	Church											

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS												
Section 25.10	USE ↓ REGULATIONS ↑	Required Review Process	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)	
			Lot Size	REQUIRED YARDS (See Ch. 115)			Lot Coverage					Height of Structure
				Front	Side	Rear						
.090	School or Day-Care Center	<p>Within the NE 85th Street Sub-area, D.R., Chapter 142 KZC. Otherwise, none.</p> <p>If this use is adjoining a low density zone, then Process I, Chapter 145 KZC.</p>	8,500 sq. ft. if PR 8.5 zone, otherwise 7,200 sq. ft.	<p>If this use can accommodate 50 or more students or children, then:</p> <p style="padding-left: 40px;">50' 50' on each side 50'</p> <p>If this use can accommodate 13 to 49 students or children, then:</p> <p style="padding-left: 40px;">20' 20' on each side 20'</p>	70%	If adjoining a low density zone other than RSX, then 25' above average building elevation. Otherwise, 30' above average building elevation. See Spec. Reg. 7.	D	B	See KZC 105.25.	<ol style="list-style-type: none"> 1. A six-foot-high fence is required only along the property lines adjacent to the outside play areas. 2. Structured play areas must be set back from all property lines as follows: <ol style="list-style-type: none"> a. Twenty feet if this use can accommodate 50 or more students or children. b. Ten feet if this use can accommodate 13 to 49 students or children. 3. An on-site passenger loading area must be provided. The City shall determine the appropriate size of the loading area on a case-by-case basis, depending on the number of attendees and the extent of the abutting right-of-way improvements. Carpooling, staggered loading/unloading time, right-of-way improvements or other means may be required to reduce traffic impacts on nearby residential uses. 4. May include accessory living facilities for staff persons. 5. To reduce impacts on nearby residential uses, hours of operation of the use may be limited and parking and passenger loading areas relocated. 6. These uses are subject to the requirements established by the Department of Social and Health Services (WAC Title 388). 7. For school use, structure height may be increased, up to 35 feet, if: <ol style="list-style-type: none"> a. The school can accommodate 200 or more students; and b. The required side and rear yards for the portions of the structure exceeding the basic maximum structure height are increased by one foot for each additional one foot of structure height; and c. The increased height is not specifically inconsistent with the applicable neighborhood plan provisions of the Comprehensive Plan; and d. The increased height will not result in a structure that is incompatible with surrounding uses or improvements. <i>This special regulation is not effective within the disapproval jurisdiction of the Houghton Community Council.</i> 8. For a Mini-School or Mini-Day-Care Center use, electrical signs shall not be permitted and the size of signs may be limited to be compatible with nearby residential uses. 9. These uses are subject to the requirements established by the Department of Social and Health Services (WAC Title 388). 		

Section 25.10



USE ZONE CHART

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS

Section 25.10	USE ↓ REGULATIONS ↑	Required Review Process	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)	
			Lot Size	REQUIRED YARDS (See Ch. 115)			Lot Coverage					Height of Structure
				Front	Side	Rear						
.100	Mini-School or Mini-Day-Care	Within the NE 85th Street Sub-area, D.R., Chapter 142 KZC. Otherwise, none.	8,500 sq. ft. if PR 8.5 zone, 7,200 sq. ft. if PR 7.2 zone, 5,000 sq. ft. if PR 5.0 zone, otherwise 3,600 sq. ft.	20'	5' but 2 side yards must equal at least 15'.	10'	70%	If adjoining a low density zone other than RSX, then 25' above average building elevation. Otherwise, 30' above average building elevation.	E	B	See KZC 105.25.	<ol style="list-style-type: none"> 1. A six-foot-high fence is required along the property lines adjacent to the outside play areas. 2. Structured play areas must be set back from all property lines by five feet. 3. An on-site passenger loading area may be required depending on the number of attendees and the extent of the abutting right-of-way improvements. 4. To reduce impacts on nearby residential uses, hours of operation of the use may be limited and parking and passenger loading areas relocated. 5. Electrical signs shall not be permitted. Size of signs may be limited to be compatible with nearby residential uses. 6. May include accessory living facilities for staff persons. 7. These uses are subject to the requirements established by the Department of Social and Health Services (WAC Title 388).
.110	Assisted Living Facility								D	A	1.7 per independent unit. 1 per assisted living unit.	<ol style="list-style-type: none"> 1. A facility that provides both independent dwelling units and assisted living units shall be processed as an assisted living facility. 2. If a nursing home use is combined with an assisted living facility use in order to provide a continuum of care for residents, the required review process shall be the less intensive process between the two uses. 3. For density purposes, two assisted living units shall constitute one dwelling unit. Total dwelling units may not exceed the number of stacked dwelling units allowed on the subject property. Through Process IIB, Chapter 152 KZC, up to 1 1/2 times the number of stacked dwelling units allowed on the property may be approved if the following criteria are met: <ol style="list-style-type: none"> a. Project is of superior design, and b. Project will not create impacts that are substantially different than would be created by a permitted multifamily development. 4. The assisted living facility shall provide usable recreation space of at least 100 square feet per unit, in the aggregate, for both assisted living units and independent dwelling units, with a minimum of 50 square feet of usable recreation space per unit located outside. 5. Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities, and activities associated with this use.

USE ZONE CHART

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS												
Section 25.10	USE ↓ REGULATIONS ↑	Required Review Process	MINIMUMS				MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)
			Lot Size	REQUIRED YARDS (See Ch. 115)			Lot Coverage	Height of Structure				
				Front	Side	Rear						
.120	Convalescent Center or Nursing Home	Within the NE 85th Street Sub-area, D.R., Chapter 142 KZC.	8,500 sq. ft. if PR 8.5 zone, otherwise 7,200 sq. ft.	20'	10' on each side	10'	70%	If adjoining a low density zone other than RSX, then 25' above average building elevation. Otherwise, 30' above average building elevation.	C	B	1 for each bed.	1. If a nursing home use is combined with an assisted living facility use in order to provide a continuum of care for residents, the required review process shall be the less intensive process between the two uses.
.130	Public Utility	Otherwise, Process I, Chapter 145 KZC.	None		20' on each side	20'			A		See KZC 105.25.	
.140	Government Facility Community Facility				10' on each side	10'			C See Spec. Reg. 2.			1. Site design must minimize adverse impacts on surrounding residential neighborhoods. 2. Landscape Category A or B may be required depending on the type of use on the subject property and the impacts associated with the use on the nearby uses.
.150	Public Park	Development standards will be determined on case-by-case basis. See Chapter 49 KZC for required review process.										