

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS												
Section 51.10	USE ↓ REGULATIONS ↑	Required Review Process	MINIMUMS				MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)
			Lot Size	REQUIRED YARDS (See Ch. 115)			Lot Coverage	Height of Structure				
				Front	Side	Rear						
.010	Detached Dwelling Units	None	3,600 sq. ft.	10' in MSC 4, otherwise 20'	5'	10'	70%	If adjoining a low density zone, then 25' above average building elevation. Otherwise, 30' above average building elevation.	E	A	2.0 per dwelling unit.	1. For this use, only one dwelling unit may be on each lot regardless of lot size. 2. Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities and activities associated with this use.
.020	Detached, Attached or Stacked Dwelling Units	D.R., Chapter 142 KZC.			5' for detached units. For attached or stacked units, 5', but 2 side yards must equal at least 15'.				C			
.030	Office Uses	None	5' but 2 side yards must equal at least 15'.	C	D	If medical, dental or veterinary office, then one per each 200 sq. ft. of gross floor area. Otherwise one per each 300 sq. ft. of gross floor area.	1. The following regulations apply to veterinary offices only: a. May only treat small animals on the subject property. b. Outside runs and other outside facilities for the animals are not permitted. c. Prior to issuance of a development permit, documentation must be provided by a qualified acoustical consultant, for approval by the Planning Official, verifying that the expected noise to be emanating from the site adjoining any residentially zoned property complies with the standards set forth in WAC 173-60-040(1) for a Class B source property and a Class A receiving property. d. Not permitted in any development containing dwelling units. 2. Ancillary assembly and manufacture of goods on the premises of this use are permitted only if: a. The ancillary assembled or manufactured goods are subordinate to and dependent on this use. b. The outward appearance and impacts of this use with ancillary assembly or manufacturing activities must be no different from other office uses.					

Section 51.10



Zone
MSC 1, 4

USE ZONE CHART

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS

Section 51.10	USE ↓ REGULATIONS ↓	Required Review Process	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)	
			Lot Size	REQUIRED YARDS (See Ch. 115)			Lot Coverage					Height of Structure
				Front	Side	Rear						
.040	Restaurant or Tavern	D.R., Chapter 142 KZC.	None	10' in MSC 4, otherwise 20'	5' but 2 side yards must equal at least 15'	10'	70%	If adjoining a low density zone, then 25' above average building elevation. Otherwise, 30' above average building elevation.	B	E	1 per each 100 sq. ft. floor area.	<ol style="list-style-type: none"> 1. This use is limited to 2,000 sq. ft. maximum. 2. Drive-in or drive-through facilities are not permitted. 3. Prior to issuance of a development permit, documentation must be provided by a qualified acoustical consultant, for approval by the Planning Official, verifying that the expected noise to be emanating from the site adjoining any residentially zoned property complies with the standards set forth in WAC 173-60-040(1) for a Class B source property and a Class A receiving property.

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS

Section 51.10	 	Required Review Process	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)	
			Lot Size	REQUIRED YARDS (See Ch. 115)			Lot Coverage					Height of Structure
				Front	Side	Rear						
.050	Any Retail Establishment, other than those specifically listed, limited or prohibited in this zone, selling goods or providing services, including banking and related financial services.	D.R., Chapter 142 KZC.	None	10' in MSC 4, otherwise 20'	5' but 2 side yards must equal at least 15'.	10'	70%	If adjoining a low density zone, then 25' above average building elevation. Otherwise, 30' above average building elevation.	B	E	1 per each 300 sq. ft. floor area.	<ol style="list-style-type: none"> The following uses are not permitted in this zone: <ol style="list-style-type: none"> Vehicle service stations. Automotive service centers. Uses with drive-in facilities or drive-through facilities. Retail establishments providing storage services unless accessory to another permitted use. Retail establishments involving the sale, service or repair of automobiles, trucks, boats, motorcycles, recreational vehicles, heavy equipment and similar vehicles. Storage and operation of heavy equipment, except delivery vehicles associated with retail uses. Storage of parts unless conducted entirely within an enclosed structure. Prior to issuance of a development permit, documentation must be provided by a qualified acoustical consultant, for approval by the Planning Official, verifying that the expected noise to be emanating from the site adjoining any residentially zoned property complies with the standards set forth in WAC 173-60-040(1) for a Class B source property and a Class A receiving property. Gross floor area cannot exceed 2,000 square feet. Ancillary assembly and manufacture of goods on the premises of this use are permitted only if: <ol style="list-style-type: none"> The assembled or manufactured goods are directly related to and are dependent upon this use, and are available for purchase and removal from the premises. The outward appearance and impacts of this use with ancillary assembly or manufacturing activities must be no different from other retail uses.
.060	Church				20' on each side.	20'			C	B	1 for every 4 people based on maximum occupancy load of any area of worship. See Spec. Reg. 1.	<ol style="list-style-type: none"> No parking is required for day-care or school ancillary to this use.

Section 51.10

Zone
MSC 1, 4

USE ZONE CHART

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS												
Section 51.10	USE ↓ REGULATIONS ↓	Required Review Process	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)	
			Lot Size	REQUIRED YARDS (See Ch. 115)			Lot Coverage					Height of Structure
				Front	Side	Rear						
.070	School or Day-Care Center	D.R., Chapter 142 KZC.	7,200 sq. ft.	If this use can accommodate 50 or more students or children, then: 50' 50' on 50' each side If this use can accommodate 13 to 49 students or children, then: 10' in 20' on 20' other-side wise 20'	70%	If adjoining a low density zone, then 25' above average building elevation. Otherwise, 30' above average building elevation. See Spec. Reg. 7.	D	B	See KZC 105.25.	<ol style="list-style-type: none"> A six-foot-high fence is required only along the property lines adjacent to the outside play areas. Structured play areas must be set back from all property lines as follows: <ol style="list-style-type: none"> Twenty feet if this use can accommodate 50 or more students or children. Ten feet if this use can accommodate 13 to 49 students or children. An on-site passenger loading area must be provided. The City shall determine the appropriate size of the loading area on a case-by-case basis, depending on the number of attendees and the extent of the abutting right-of-way improvements. Carpooling, staggered loading/unloading time, right-of-way improvements or other means may be required to reduce traffic impacts on nearby residential uses. May include accessory living facilities for staff persons. To reduce impacts on nearby residential uses, hours of operation of the use may be limited and parking and passenger loading areas relocated. These uses are subject to the requirements established by the Department of Social and Health Services (WAC Title 388). For school use, structure height may be increased, up to 35 feet, if: <ol style="list-style-type: none"> The school can accommodate 200 or more students; and The required side and rear yards for the portions of the structure exceeding the basic maximum structure height are increased by one foot for each additional one foot of structure height; and The increased height is not specifically inconsistent with the applicable neighborhood plan provisions of the Comprehensive Plan; and The increased height will not result in a structure that is incompatible with surrounding uses or improvements. These uses are subject to the requirements established by the Department of Social and Health Services (WAC Title 388). 		

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS												
Section 51.10	USE ↓ REGULATIONS ↓	Required Review Process	MINIMUMS				MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)
			Lot Size	REQUIRED YARDS (See Ch. 115)			Lot Coverage	Height of Structure				
				Front	Side	Rear						
.080	Mini-School or Mini-Day-Care	D.R., Chapter 142 KZC.	3,600 sq. ft.	10' in MSC 4, otherwise 20'	5' but 2 side yards must equal at least 15'	10'	70%	If adjoining a low density zone, then 25' above average building elevation. Otherwise, 30' above average building elevation.	E	B	See KZC 105.25.	<ol style="list-style-type: none"> 1. A six-foot-high fence is required along the property lines adjacent to the outside play areas. 2. Structured play areas must be set back from all property lines by five feet. 3. An on-site passenger loading area may be required depending on the number of attendees and the extent of the abutting right-of-way improvements. 4. To reduce impacts on nearby residential uses, hours of operation of the use may be limited and parking and passenger loading areas relocated. 5. Electrical signs shall not be permitted. Size of signs may be limited to be compatible with nearby residential uses. 6. May include accessory living facilities for staff persons. 7. These uses are subject to the requirements established by the Department of Social and Health Services (WAC Title 388).
.090	Assisted Living Facility								D	A	1.7 per independent unit. 1 per assisted living unit.	<ol style="list-style-type: none"> 1. A facility that provides both independent dwelling units and assisted living units shall be processed as an assisted living facility. 2. For density purposes, two assisted living units shall constitute one dwelling unit. Total dwelling units may not exceed the number of stacked dwelling units allowed on the subject property. Through Process IIB, Chapter 152 KZC, up to 1 1/2 times the number of stacked dwelling units allowed on the property may be approved if the following criteria are met: <ol style="list-style-type: none"> a. Project is of superior design; and b. Project will not create impacts that are substantially different than would be created by a permitted multifamily development. 3. The assisted living facility shall provide usable recreation space of at least 100 square feet per unit, in the aggregate, for both assisted living units and independent dwelling units, with a minimum of 50 square feet of usable recreation space per unit located outside. 4. Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities, and activities associated with this use.

Section 51.10

Zone
MSC 1, 4

USE ZONE CHART

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS													
Section 51.10	USE ↓ REGULATIONS ↑	Required Review Process	MINIMUMS			MAXIMUMS		Lot Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)
			Lot Size	REQUIRED YARDS (See Ch. 115)									
				Front	Side	Rear							
.100	Convalescent Center or Nursing Home	D.R., Chapter 142 KZC.	7,200 sq. ft.	10' in MSC 4, otherwise 20'.	10' on each side	10'	70%	If adjoining a low density zone, then 25' above average building elevation. Otherwise, 30' above average building elevation.	C	B	1 for each bed.		
.110	Public Utility		None		20' on each side	20'			A		See KZC 105.25.		
.120	Government Facility Community Facility		10' on each side		10'	C See Spec. Reg. 2.			1. Site design must minimize adverse impacts on surrounding residential neighborhoods. 2. Landscape Category A or B may be required depending on the type of use on the subject property and the impacts associated with the use on the nearby uses.				
.130	Public Park	Development standards will be determined on case-by-case basis. See Chapter 49 KZC for required review process.											