

Section 53.24



USE ZONE CHART

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS

Section 53.24		Required Review Process	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)	
			Lot Size	REQUIRED YARDS (See Ch. 115)			Lot Coverage					Height of Structure
				Front	Side	Rear						
.010	Vehicle Service Station See Spec. Regs. 1 and 2.	D.R., Chapter 142 KZC.	22,500 sq. ft.	20' See Spec. Reg. 2.	0' See Spec. Reg. 2.	0' See Spec. Reg. 2.	80%	35' above average building elevation.	A	E	See KZC 105.25.	<ol style="list-style-type: none"> This use is permitted only in RH 2A. Gas pump islands must be set back a minimum of 20 feet from all property lines. Canopies or covers over gas pump islands may not be closer than 10 feet to any property line. Outdoor parking and service areas may not be closer than 10 feet to any property line. See KZC 95.40 through 95.45, required landscaping, for further regulations.
.020	Automotive Service Center See Spec. Reg. 1.		None	10' adjacent to NE 85th St., otherwise 20'.	0'	0'	In RH 2A and RH 2B: 80% In RH 2C: 70%	In RH 2B: 55' above average building elevation. In RH 2A: 67' above average building elevation.			1 per each 250 sq. ft. of gross floor area. See Spec. Reg. 2.	<ol style="list-style-type: none"> This use is permitted only in RH 2A. Ten percent of the required parking spaces on site must have a minimum dimension of 10 feet wide by 30 feet long for motor home/ travel trailer use. Parts and tires must be stored entirely within an enclosed structure. Outdoor vehicle parking or storage must be buffered as required for a parking area in KZC 95.45. See KZC 115.105, Outdoor Use, Activity and Storage, for additional regulations.
.030	Restaurant or Tavern										1 per each 100 sq. ft. of gross floor area.	<ol style="list-style-type: none"> This use is permitted in RH 2B only if developed in conjunction with the RH 2A zone. This use is not permitted in RH 2C. For restaurants with drive-in or drive-through facilities: <ol style="list-style-type: none"> One outdoor waste receptacle shall be provided for every eight parking stalls. Access for drive-through facilities shall be approved by the Public Works Department. Drive-through facilities shall be designed so that vehicles will not block traffic in the right-of-way while waiting in line to be served.
.040	A Retail Establishment providing entertainment, recreational or cultural activities										See KZC 105.25.	<ol style="list-style-type: none"> This use is permitted in RH 2B only if developed in conjunction with the RH 2A zone. This use is not permitted in RH 2C.



USE ZONE CHART

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS

Section 53.24	USE ↓ REGULATIONS ↑	Required Review Process	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)	
			Lot Size	REQUIRED YARDS (See Ch. 115)			Lot Coverage					Height of Structure
				Front	Side	Rear						
.050	Any Retail Establishment other than those specifically listed, limited or prohibited in this zone, selling goods, or providing services including banking and related financial services	D.R., Chapter 142 KZC.	None	10' adjacent to NE 85th St., otherwise 20'.	0'	0'	In RH 2A and RH 2B: 80% In RH 2C: 70%	In RH 2C: 35' above average building elevation. In RH 2B: 55' above average building elevation. In RH 2A: 67' above average building elevation.	A	E	1 per each 300 sq. ft. of gross floor area. See Spec. Reg. 2.	<ol style="list-style-type: none"> This use is permitted in RH 2B only if developed in conjunction with the RH 2A zone. No retail uses are permitted in RH 2C unless the use is a retail establishment providing the sale, lease, service or repair of automobiles, trucks, boats, motorcycles, recreational vehicles, heavy equipment and similar vehicles also located in the RH 2A and RH 2B zones. For a retail establishment involving the sale, lease, repair or service of automobiles, trucks, boats, motorcycles, recreational vehicles, heavy equipment, and similar vehicles, the following shall apply: <ol style="list-style-type: none"> For the number of required parking stalls see KZC 105.25. Parts must be stored entirely within an enclosed structure. See KZC 95.40 through 95.45, required landscaping, for further regulations. The landscape buffer requirements of Chapter 95 KZC shall apply adjacent to 118th Avenue NE. Ancillary assembly and manufacture of goods on the premises of this use are permitted only if: <ol style="list-style-type: none"> The assembled or manufactured goods are directly related to and are dependent on this use, and are available for purchase and removal from the premises. The outward appearance and impacts of this use with ancillary assembly or manufacturing activities must be no different from other retail uses. A delicatessen, bakery, or other similar use may include, as part of the use, accessory seating if: <ol style="list-style-type: none"> The seating and associated circulation area does not exceed more than 10 percent of the gross floor area of the use; and It can be demonstrated to the City that the floor plan is designed to preclude the seating area from being expanded.

Section 53.24

Zone
RH 2A, 2B,
2C

USE ZONE CHART

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS

Section 53.24	USE ↓ REGULATIONS ↑	Required Review Process	Lot Size	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)
				REQUIRED YARDS (See Ch. 115)			Lot Coverage	Height of Structure				
				Front	Side	Rear						
.060	Office Use	D.R., Chapter 142 KZC.	None	10' adjacent to NE 85th St., otherwise 20'.	0'	0'	In RH 2A and RH 2B: 80% In RH 2C: 70%	In RH 2C: 35' above average building elevation. In RH 2B: 55' above average building elevation.	A	D	If a medical, dental or veterinary office, then 1 per each 200 sq. ft. of gross floor area. Otherwise, 1 per each 300 sq. ft. of gross floor area.	<ol style="list-style-type: none"> The following regulations apply to veterinary offices only: <ol style="list-style-type: none"> May only treat small animals on the subject property. Outside runs and other outside facilities for the animals are not permitted. Ancillary assembly and manufacture of goods on the premises of this use are permitted only if: <ol style="list-style-type: none"> The ancillary assembled or manufactured goods are subordinate to and dependent on this use. The outward appearance and impacts of this use with ancillary assembly or manufacturing activities must be no different from other office uses.
.070	College or University						In RH 2A: 67' above average building elevation.			See KZC 105.25.		
.080	Attached or Stacked Dwelling Unit		In RH 2C the minimum amount of lot area per dwelling unit is 3,600 sq. ft. Otherwise, none.				In RH 2C: 35' above average building elevation. In RH 2B: 55' above average building elevation. In RH 2A: 67' above average building elevation.	D	A	1.7 per unit.	<ol style="list-style-type: none"> This use may not be located on the ground floor of a structure in RH 2A. Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities and activities associated with this use. In RH 2A and RH 2B, at least 10 percent of the units provided in new residential developments of four units or greater shall be affordable housing units, as defined in Chapter 5 KZC. See Chapter 112 KZC for additional affordable housing requirements and incentives. 	

Section 53.24



USE ZONE CHART

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS

Section 53.24	USE ↓ REGULATIONS →	Required Review Process	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)	
			Lot Size	REQUIRED YARDS (See Ch. 115)			Lot Coverage					Height of Structure
				Front	Side	Rear						
.090	Assisted Living Facility, Convalescent Center or Nursing Home	D.R., Chapter 142 KZC.	In RH 2C the minimum amount of lot area per dwelling unit is 3,600 sq. ft. Otherwise, none.	10' adjacent to NE 85th St., otherwise 20'.	0'	0'	In RH 2A and RH 2B: 80% In RH 2C: 70%	In RH 2C: 35' above average building elevation. In RH 2B: 55' above average building elevation. In RH 2A: 67' above average building elevation.	C	A Convalescent Center or Nursing Home: B	Independent unit: 1.7 per unit. Assisted Living Facility: 1 per unit. Convalescent Center or Nursing Home: 1 per bed.	<ol style="list-style-type: none"> Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities and activities associated with this use. In RH 2C for density purposes, two assisted living units shall constitute one dwelling unit. Total dwelling units may not exceed the number of stacked dwelling units allowed on the subject property.
.100	Hotel or Motel		None				In RH 2B: 55' above average building elevation.	A	E	1 per each room. See also Spec. Reg. 3.	<ol style="list-style-type: none"> This use is permitted in RH 2A and RH 2B only. May include ancillary meeting and convention facilities. Excludes parking requirements for ancillary meeting and convention facilities. Additional parking requirement for these ancillary uses shall be determined on a case-by-case basis. 	
.110	Private Lodge or Club						In RH 2A: 67' above average building elevation.	C	B	1 per each 300 sq. ft. of gross floor area.	<ol style="list-style-type: none"> This use is permitted in RH 2B only if developed in conjunction with RH 2A. This use is not permitted in RH 2C. 	

Section 53.24

Zone
RH 2A, 2B,
2C

USE ZONE CHART

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS

Section 53.24	USE ↓ REGULATIONS ↓	Required Review Process	Lot Size	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)
				REQUIRED YARDS (See Ch. 115)			Lot Coverage	Height of Structure				
				Front	Side	Rear						
.120	Church	D.R., Chapter 142 KZC.	None	10' adjacent to NE 85th St., otherwise 20'.	0'	0'	In RH 2A and RH 2B: 80% In RH 2C: 70%	In RH 2C: 35' above average building elevation. In RH 2B: 55' above average building elevation. In RH 2A: 67' above average building elevation.	A	B	1 for every 4 people based on maximum occupancy load of any area of worship. See also Spec. Reg. 2.	<ol style="list-style-type: none"> May include accessory living facilities for staff persons. No parking is required for day-care or school ancillary to this use.
.130	School, Day-Care Center, Mini-School or Mini-Day-Care Center							D		See KZC 105.25.	<ol style="list-style-type: none"> A six-foot-high fence is required only along the property lines adjacent to the outside play areas. Structured play areas must be set back from all property lines as follows: <ol style="list-style-type: none"> Twenty feet if this use can accommodate 50 or more students or children. Ten feet if this use can accommodate 13 to 49 students or children. Five feet for Mini-School or Mini-Day-Care Center. An on-site passenger loading area must be provided. The City shall determine the appropriate size of the loading areas on a case-by-case basis, depending on the number of attendees and the extent of the abutting right-of-way improvements. Carpooling, staggered loading/unloading time, right-of-way improvements or other means may be required to reduce traffic impacts on nearby residential uses. May include accessory living facilities for staff persons. Hours of operation of the use may be limited and parking and passenger loading areas shall be located to reduce impacts on nearby residential uses. These uses are subject to the requirements established by the Department of Social and Health Services (WAC Title 388). 	
.140	Public Utility							A				
.150	Government Facility Community Facility							C See Spec. Reg. 1.				<ol style="list-style-type: none"> Landscape Category A or B may be required depending on the type of use on the subject property and the impacts associated with the use on the nearby uses.

Section 53.24

Zone
RH 2A, 2B,
2C

USE ZONE CHART

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS												
Section 53.24	USE ↓ REGULATIONS ↑	Required Review Process	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)	
			Lot Size	REQUIRED YARDS (See Ch. 115)			Lot Coverage					Height of Structure
				Front	Side	Rear						
.160	Public Park	Development standards will be determined on a case-by-case basis. See Chapter 49 KZC for required review process.										