

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS												
Section 55.09	USE ↓ REGULATIONS ↑	Required Review Process	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)	
			Lot Size	REQUIRED YARD (See Ch. 115)			Lot Coverage					Height of Structure
				Front	Side	Rear						
.010	Office Use	D.R., Chapter 142 KZC	None	10'	0'	0'	85% See Spec. Reg. 5.	30' to 160' above average building elevation. See Spec. Reg. 4.	B	D	See Chapter 105 KZC	<ol style="list-style-type: none"> 1. The minimum floor area ratio (FAR) for development on the subject property is 1.0, or 100 percent of lot size. 2. The maximum floor area ratio (FAR) for development on the subject property is 2.0, or 200 percent of lot size, except as provided in Special Regulation 3 below. When combined with residential use, the maximum FAR for this use is determined as follows: (% office use x 2) + (% residential use x 3) = FAR of each use allowed on the subject property. Maximum FAR is determined based on parcel size, prior to any road dedication required pursuant to General Regulation 5 for this zone. 3. On parcels where road dedication is required pursuant to General Regulation 5, the maximum floor area ratio (FAR) may be increased by an additional 0.2 FAR for each 10 percent or portion thereof of the subject property required to be dedicated. Where this use is combined with residential use, the maximum FAR for the residential use may be increased by an additional 0.3 of residential use for each 10 percent or portion thereof of the subject property required to be dedicated. 4. Building height may be increased as follows: <ol style="list-style-type: none"> a. Building height may exceed 30 feet above average building elevation if one of the following public improvements is provided: <ol style="list-style-type: none"> 1) Dedication and improvement of new streets pursuant to General Regulation 5; or 2) Where General Regulation 5 does not apply, the development of pedestrian-oriented elements that exceed the requirements of KZC 92.15 and Chapter 105 KZC. Examples include pedestrian walkways through the subject property, public plazas, public art and fountains. b. Building height may exceed 80 feet and be increased up to 160 feet above average building elevation, with the height increases to be based on the following considerations: <ol style="list-style-type: none"> 1) Development on the subject property complies with 4(a) above. 2) Design of buildings meets guidelines for towers set forth in Design Guidelines (Chapter 142 KZC, and Chapter 3.30 KMC).
REGULATIONS FOR THIS USE CONTINUED ON THE NEXT PAGE												

Section 55.09

Zone
TL 1A

USE ZONE CHART

Section 55.09		USE ↓ REGULATIONS ↑		DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS									
				Required Review Process	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)
					Lot Size	REQUIRED YARD (See Ch. 115)			Lot Coverage				
			Front	Side	Rear								
.010	Office Use (continued)											<p>3) Floor plates may not exceed 10,000 square feet per floor, for the portion of the building above 80 feet in height, except on those parcels where road dedication is required pursuant to General Regulation 5. On these parcels, floor plates may not exceed 20,000 square feet on floors between 80 feet and 120 feet in height. Beyond 120 feet in height, floor plates may not exceed 10,000 square feet per floor.</p> <p>4) Portions of structures exceeding 80 feet in height must be separated by at least 60 feet, both on the subject property and from taller building elements on adjacent properties.</p> <p>5. Increases in lot coverage may be considered if:</p> <ul style="list-style-type: none"> a. Land dedication on the subject property provided pursuant to General Regulation 5 limits area available for development on the property; and/or b. Other techniques used to provide open space result in superior landscaping, such as the use of gardens on lower portions of structures or on rooftops, the provision of visual and pedestrian access to public garden areas, or other approaches that provide for useable green space. <p>6. Ancillary assembly and manufacture of goods on the premises of this use are permitted only if:</p> <ul style="list-style-type: none"> a. The assembled or manufactured goods are subordinate to and are dependent upon this use. b. The outward appearance and impacts of this use with ancillary assembly or manufacturing must be no different from other office uses. <p>7. The following regulations apply to veterinary offices only:</p> <ul style="list-style-type: none"> a. May only treat small animals on the subject property. b. Outside runs and other outside facilities for the animals are not permitted. c. Site must be designed so noise from this use is not audible off the subject property. A certification to this effect, signed by an acoustical engineer, must be submitted with the development permit application. d. A veterinary office is not permitted if the subject property contains dwelling units. 	

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS													
Section 55.09	USE ↓ REGULATIONS →	Required Review Process	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)		
			Lot Size	REQUIRED YARD (See Ch. 115)			Lot Coverage					Height of Structure	
				Front	Side	Rear							
.020	Restaurant or Tavern	D.R., Chapter 142 KZC	See Spec. Reg. 1.									1 per each 100 sq. ft. of gross floor area.	1. This use is only permitted as an accessory use to another permitted use within this zone. It may not be located in a separate structure from the primary use.
.030	Any Retail Establishment, Other than Those Specifically Listed in this Zone, Selling Goods and Providing Services Including Banking and Other Financial Services		1 per each 300 sq. ft. of gross floor area.	1. This use is only permitted as an accessory use to another permitted use within this zone. It may not be located in a separate structure from the primary use. 2. The location of drive-through facilities may not compromise pedestrian movement. 3. The following uses and activities are prohibited: a. The sale, service, and/or rental of motor vehicles, sailboats, motor boats, and recreational trailers; provided, that motorcycle sales, service, or rental is permitted if conducted indoors; b. Retail establishments providing storage services unless accessory to another permitted use; c. Storage and operation of heavy equipment except normal delivery vehicles associated with retail uses; d. Outdoor storage of bulk commodities, except in the following circumstances: 1) If the square footage of the storage area is less than 10 percent of the retail structure, 2) If the commodities represent growing stock in connection with horticultural nurseries, whether the stock is in open ground, pots, or containers.									
.040	Attached or Stacked Dwelling Units	None	10'	0'	0'	85% See Spec. Reg. 6.	30' to 160' above average building elevation. See Spec. Reg. 5.	C	A	See KZC 105.25.	1. Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities, and activities associated with this use. 2. Residential development must provide a minimum density of 50 dwelling units per gross acre. 3. The maximum floor area ratio (FAR) for development on the subject property is 3.0, or 300 percent of lot size, except as provided in Special Regulation 4 below. When combined with office use, the maximum FAR for this use is determined as follows: (% office use x 2) + (% residential use x 3) = FAR of each use allowed on the subject property. Maximum FAR is determined based on parcel size, prior to any road dedication required pursuant to General Regulation 5 for this zone.		

REGULATIONS FOR THIS USE CONTINUED ON THE NEXT PAGE

Section 55.09

Zone
TL 1A

USE ZONE CHART

Section 55.09		USE ↓ REGULATIONS →		DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS									
				Required Review Process	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)
					Lot Size	REQUIRED YARD (See Ch. 115)			Lot Coverage				
			Front	Side	Rear								
.040	Attached or Stacked Dwelling Units (continued)											<p>4. On parcels where road dedication is required pursuant to General Regulation 5, the maximum floor area ratio (FAR) may be increased by an additional 0.30 FAR for each 10 percent or portion thereof of the subject property required to be dedicated. Where this use is combined with office use, the maximum FAR for the office use may be increased by an additional 0.2 of office use for each 10 percent or portion thereof of the subject property required to be dedicated.</p> <p>5. Building height may be increased as follows:</p> <p>a. Building height may exceed 30 feet above average building elevation, if one of the following public improvements is provided:</p> <ol style="list-style-type: none"> 1) Dedication and improvement of new streets pursuant to General Regulation 5; or 2) Where General Regulation 5 does not apply, the development of pedestrian-oriented elements that exceed the requirements of KZC 92.15 and Chapter 105 KZC. Examples include pedestrian walkways through the subject property, public plazas, public art and fountains; and 3) Provides for at least 10 percent of the units in new residential developments of four units or greater as affordable housing units, as defined in Chapter 5 KZC. See Chapter 112 KZC for additional affordable housing requirements and incentives. <p>b. Building height may exceed 80 feet and be increased up to 160 feet above average building elevation, with the height increases to be based on the following considerations:</p> <ol style="list-style-type: none"> 1) Development on the subject property complies with 5(a) above. 2) Design of buildings meets guidelines for towers set forth in Design Guidelines (Chapter 142 KZC, and Chapter 3.30 KMC). 3) Floor plates may not exceed 10,000 square feet per floor, for the portion of the building above 80 feet in height, except on those parcels where road dedication is required pursuant to General Regulation 5. On these parcels, floor plates may not exceed 20,000 square feet on floors between 80 feet and 120 feet in height. Beyond 120 feet in height, floor plates may not exceed 10,000 square feet per floor. 	
REGULATIONS FOR THIS USE CONTINUED ON THE NEXT PAGE													

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS													
Section 55.09	USE ↓ REGULATIONS →	Required Review Process	MINIMUMS			MAXIMUMS		Lot Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)
			Lot Size	REQUIRED YARD (See Ch. 115)									
				Front	Side	Rear							
.040	Attached or Stacked Dwelling Units (continued)												4) Portions of structures exceeding 80 feet in height must be separated by at least 60 feet, both on the subject property and from taller building elements on adjacent properties. 6. Increases in lot coverage may be considered if: a. Land dedication on the subject property provided pursuant to General Regulation 5 limits area available for development on the property, and/or b. Other techniques used to provide open space result in superior landscaping, such as the use of gardens on lower portions of structures or on rooftops, the provision of visual and pedestrian access to public garden areas, or other approaches that provide for useable green space.
.050	Church	D.R., Chapter 142 KZC	None	10'	0'	0'	80%	40' average building elevation. See Spec. Reg. 3.	C	B	1 for every 4 people based on maximum occupancy load of any area of worship. See Spec. Reg. 2.	1. May include accessory living facilities for staff persons. 2. No parking is required for day-care or school ancillary to this use 3. When included as an accessory use within the structure of a primary use with a taller height limit, the height limit for the primary use applies.	
.060	School, Day-Care Center or Mini School or Mini-Day-Care			10' See Spec. Reg. 3.	0' See Spec. Reg. 3.	0' See Spec. Reg. 3.		40' above average building elevation. See Spec. Reg. 6.	D		See KZC 105.25. See Spec. Reg. 4.	1. A six-foot high fence is required along property lines adjacent to outside play areas. 2. Hours of operation may be limited by the City to reduce impacts on nearby residential uses. 3. Structured play areas must be set back from all property lines by at least five feet. 4. An on-site passenger loading area may be required depending on the number of attendees and the extent of the abutting right-of-way improvements. 5. These uses are subject to the requirements established by the Department of Social and Health Services (WAC Title 388). 6. When included as an accessory use within the structure of a primary use with a taller height limit, the height limit for the primary use applies.	

Section 55.09

Zone
TL 1A

USE ZONE CHART

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS													
Section 55.09	USE ↓ REGULATIONS ↑	Required Review Process	MINIMUMS			MAXIMUMS		Lot Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)
			Lot Size	REQUIRED YARD (See Ch. 115)									
				Front	Side	Rear							
.070	Assisted Living Facility	D.R., Chapter 142 KZC	None	10'	0'	0'	85% See Spec. Reg. 5.	30' to 160' above average building elevation. See Spec. Reg. 4.	B	A	See KZC 105.25.	<ol style="list-style-type: none"> 1. Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities, and activities associated with this use. 2. The maximum floor area ratio (FAR) for development on the subject property is 3.0, or 300 percent of lot size, except as provided in Special Regulation 3 below. Maximum FAR is determined based on parcel size, prior to any road dedication required pursuant to General Regulation 5 for this zone. 3. On parcels where road dedication is required pursuant to General Regulation 5, the maximum floor area ratio (FAR) may be increased by an additional 0.30 FAR for each 10 percent or portion thereof, of the subject property required to be dedicated. 4. Building height may be increased as follows: <ol style="list-style-type: none"> a. Building height may exceed 30 feet above average building elevation, if one of the following public improvements is provided: <ol style="list-style-type: none"> 1) Dedication and improvement of new streets pursuant to General Regulation 5; or 2) Where General Regulation 5 does not apply, the development of pedestrian-oriented elements that exceed the requirements of KZC 92.15 and Chapter 105 KZC. Examples include pedestrian walkways through the subject property, public plazas, public art and fountains; and 3) Provides for at least 10 percent of the units in new residential developments of four units or greater as affordable housing units, as defined in Chapter 5 KZC. See Chapter 112 KZC for additional affordable housing requirements and incentives. b. Building height may exceed 80 feet and be increased up to 160 feet above average building elevation, with the height increases to be based on the following considerations: <ol style="list-style-type: none"> 1) Development on the subject property complies with 4(a) above. 2) Design of buildings meets guidelines for towers set forth in Design Guidelines (Chapter 142 KZC, and Chapter 3.30 KMC). 	
REGULATIONS FOR THIS USE CONTINUED ON THE NEXT PAGE													

Section 55.09		DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS										
		Required Review Process	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)	
			Lot Size	REQUIRED YARD (See Ch. 115)			Lot Coverage					Height of Structure
USE ↓	REGULATIONS ↓		Front	Side	Rear							
.070	Assisted Living Facility (continued)										3) Floor plates may not exceed 10,000 square feet per floor, for the portion of the building above 80 feet in height, except on those parcels where road dedication is required pursuant to General Regulation 5. On these parcels, floor plates may not exceed 20,000 square feet on floors between 80 feet and 120 feet in height. Beyond 120 feet in height, floor plates may not exceed 10,000 square feet per floor. 4) Portions of structures exceeding 80 feet in height must be separated by at least 60 feet, both on the subject property and from taller building elements on adjacent properties. 5. Increases in lot coverage may be considered if: a. Land dedication on the subject property provided pursuant to General Regulation 5 limits area available for development on the property; and/or b. Other techniques used to provide open space result in superior landscaping, such as the use of gardens on lower portions of structures or on rooftops, the provision of visual and pedestrian access to public garden areas, or other approaches that provide for useable green space.	
.080	Convalescent Center or Nursing Home	D.R., Chapter 142 KZC	None	10'	0'	0'	85% See Spec. Reg. 4.	30' to 160' above average building elevation. See Spec. Reg. 3.	C	B	1 for each bed.	1. The maximum floor area ratio (FAR) for development on the subject property is 3.0, or 300 percent of lot size, except as provided in Special Regulation 2 below. Maximum FAR is determined based on parcel size, prior to any road dedication required pursuant to General Regulation 5 for this zone. 2. On parcels where road dedication is required pursuant to General Regulation 5, the maximum floor area ratio (FAR) may be increased by an additional 0.30 FAR for each 10 percent or portion thereof of the subject property required to be dedicated. REGULATIONS FOR THIS USE CONTINUED ON THE NEXT PAGE

Section 55.09

Zone
TL 1A

USE ZONE CHART

Section 55.09		USE ↓ REGULATIONS →		DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS									
				Required Review Process	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)
					Lot Size	REQUIRED YARD (See Ch. 115)			Lot Coverage				
				Front	Side	Rear							
.080	Convalescent Center or Nursing Home (continued)											3. Building height may be increased as follows: <ol style="list-style-type: none"> a. Building height may exceed 30 feet above average building elevation, if one of the following public improvements is provided: <ol style="list-style-type: none"> 1) Dedication and improvement of new streets pursuant to General Regulation 5; or 2) Where General Regulation 5 does not apply, the development of pedestrian-oriented elements that exceed the requirements of KZC 92.15 and Chapter 105 KZC. Examples include pedestrian walkways through the subject property, public plazas, public art and fountains. b. Building height may exceed 80 feet and be increased up to 160 feet above average building elevation, with the height increases to be based on the following considerations: <ol style="list-style-type: none"> 1) Development of the subject property complies with 3(a) above. 2) Design of buildings meets guidelines for towers set forth in Design Guidelines (Chapter 142 KZC, and Chapter 3.30 KMC). 3) Floor plates may not exceed 10,000 square feet per floor, for the portion of the building above 80 feet in height, except on those parcels where road dedication is required pursuant to General Regulation 5. On these parcels, floor plates may not exceed 20,000 square feet on floors between 80 feet and 120 feet in height. Beyond 120 feet in height, floor plates may not exceed 10,000 square feet per floor. 4) Portions of structures exceeding 80 feet in height must be separated by at least 60 feet, both on the subject property and from taller building elements on adjacent properties. 4. Increases in lot coverage may be considered if: <ol style="list-style-type: none"> a. Land dedication on the subject property provided pursuant to General Regulation 5 limits area available for development on the property, and/or b. Other techniques used to provide open space result in superior landscaping, such as the use of gardens on lower portions of structures or on rooftops, the provision of visual and pedestrian access to public garden areas, or other approaches that provide for useable green space. 	

Section 55.09

Zone
TL 1A

USE ZONE CHART

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS												
Section 55.09	USE ↓ REGULATIONS ↑	Required Review Process	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)	
			Lot Size	REQUIRED YARD (See Ch. 115)			Lot Coverage					Height of Structure
				Front	Side	Rear						
.090	Public Utility	D.R., Chapter 142 KZC	None	10'	0'	0'	80%	40' above average building elevation. See Spec. Reg. 1.	A	B	See KZC 105.25.	1. When included as an accessory use within the structure of a primary use with a taller height limit, the height limit for the primary use applies.
.100	Government Facility or Community Facility							C See Spec. Reg. 2.				1. When included as an accessory use within the structure of a primary use with a taller height limit, the height limit for the primary use applies. 2. Landscape category A or B may be required depending on the type of use on the subject property and the impacts associated with this use.
.110	Public Park	Development standards will be determined on a case-by-case basis. See Chapter 49 KZC for required review process.										