

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS												
Section 60.42	USE ↓ REGULATIONS ↑	Required Review Process	MINIMUMS				MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)
			Lot Size	REQUIRED YARDS (See Ch. 115)			Lot Coverage	Height of Structure				
				Front	Side	Rear						
.010	Detached Dwelling Units	None	3,600 sq. ft.	20'	5'	10'	70%	25' above average building elevation.	E	A	2.0 per unit.	<ol style="list-style-type: none"> For this use, only one dwelling unit may be on each lot regardless of lot size. Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities and activities associated with this use.
.020	Detached, Attached or Stacked Dwelling Units	If the development is south of 4th Avenue and within 180' east of 6th Street, or within 325' of the PLA 5C eastern boundary, then Administrative Design Review for buildings over 30' above average building elevation, Chapter 142 KZC. Otherwise, none.	3,600 sq. ft. with at least 1,800 sq. ft. per unit.	20'	5' for detached units. For attached or stacked units, 5', but 2 side yards must equal at least 15'. From easterly edge of PLA 5C – 15'. See Spec. Reg. 4.	10' See Spec. Reg. 5.	70%	<ul style="list-style-type: none"> If the development contains at least 1 acre, then the lower of 6 stories or 60' above average building elevation, except for properties within 325' of the PLA 5C eastern boundary, then the lower of 4 stories or 40' above average building elevation. If the development is south of 4th Avenue and within 180' east of 6th Street, and contains at least 0.8 acres, then the lower of 4 stories or 52' above average building elevation. If the development is south of 4th Avenue and within 180 feet east of 6th Street, and contains at least 0.4 acres, then the lower of 3 stories or 40' above average building elevation. Otherwise, 30' above average building elevation. 	D		1.7 per unit.	<ol style="list-style-type: none"> The City may limit access points onto 6th Street and require traffic control devices and right-of-way realignment. Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities and activities associated with this use. Chapter 115 KZC contains regulations regarding common recreational space requirements for this use. The side yard may be reduced to zero feet if the side of the dwelling unit is attached to a dwelling unit on an adjoining lot. If one side of a dwelling unit is so attached and the opposite side is not, the side that is not attached must provide a minimum side yard of five feet. The rear yard may be reduced to zero feet if the rear of the dwelling unit is attached to a dwelling unit on an adjoining lot. For properties abutting PLA 5D, any portion of a building exceeding 30 feet above ABE shall be no closer than 50 feet to the easterly edge of PLA 5C.

Section 60.42

Zone
PLA5C

USE ZONE CHART

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS

Section 60.42	USE REGULATIONS	Required Review Process	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)	
			Lot Size	REQUIRED YARDS (See Ch. 115)			Lot Coverage					Height of Structure
				Front	Side	Rear						
.030	Office Use	If the development is south of 4th Avenue and within 180' east of 6th Street, or within 325' of the PLA 5C eastern boundary, then Administrative Design Review for buildings over 30' above average building elevation, Chapter 142 KZC. Otherwise, none.	None	20'	5', but 2 side yards must equal at least 15'. From easterly edge of PLA 5C – 15'.	10'	70%	C	D	If a Medical, Dental, or Veterinary office, then 1 per each 200 sq. ft. of gross floor area. Otherwise, 1 per each 300 sq. ft. of gross floor area.	<ol style="list-style-type: none"> The City may limit access points onto 6th Street and require traffic control devices and right-of-way realignment. The following regulations apply to veterinary offices only: <ol style="list-style-type: none"> May only treat small animals on the subject property. Outside runs and other outside facilities for the animals are not permitted. Site must be designed so that noise from this use will not be audible off the subject property. A certification to this effect, signed by an Acoustical Engineer, must be submitted with the development permit application. Ancillary assembly and manufacture of goods on the premises of this use are permitted only if: <ol style="list-style-type: none"> The ancillary assembled or manufactured goods are subordinate to and dependent on this use. The outward appearance and impacts of this use with ancillary assembly or manufacturing activities must be no different from other office uses. For properties abutting PLA 5D, any portion of a building exceeding 30 feet above ABE shall be no closer than 50 feet to the easterly edge of PLA 5C. 	

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS												
Section 60.42	USE ↓ REGULATIONS ↓	Required Review Process	MINIMUMS				MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)
			Lot Size	REQUIRED YARDS (See Ch. 115)			Lot Coverage	Height of Structure				
				Front	Side	Rear						
.040	Development Containing Stacked or Attached Dwelling Units and Office Uses. See Spec. Reg. 1.	If the development is south of 4th Avenue and within 180' east of 6th Street, or within 325' of the PLA 5C eastern boundary, then Administrative Design Review for buildings over 30' above average building elevation, Chapter 142 KZC. Otherwise, none.	3,600 sq. ft. with at least 1,800 sq. ft. per unit.	20'	5', but 2 side yards must equal at least 15'. From easterly edge of PLA 5C – 15'. See Spec. Reg. 6.	10' See Spec. Reg. 7.	70%	<ul style="list-style-type: none"> If the development contains at least 1 acre, then the lower of 6 stories or 60' above average building elevation, except for properties within 325' of the PLA 5C eastern boundary, then the lower of 4 stories or 40' above average building elevation. If the development is south of 4th Avenue and within 180' east of 6th Street, and contains at least 0.8 acres, then the lower of 4 stories or 52' above average building elevation. If the development is south of 4th Avenue and within 180 feet east of 6th Street, and contains at least 0.4 acres, then the lower of 3 stories or 40' above average building elevation. Otherwise, 30' above average building elevation. 	C	D	See KZC 105.25.	<ol style="list-style-type: none"> A veterinary office is not permitted in any development containing dwelling units. The City may limit access points onto 6th Street and require traffic control devices and right-of-way realignment. Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities and activities associated with this use. Chapter 115 KZC contains regulations regarding common recreational space requirements for this use. Ancillary assembly and manufacture of goods on the premises of this use are permitted only if: <ol style="list-style-type: none"> The ancillary assembled or manufactured goods are subordinate to and dependent on this use. The outward appearance and impacts of this use with ancillary assembly or manufacturing activities must be no different from other office uses. The side yard may be reduced to zero feet if the side of the dwelling unit is attached to a dwelling unit on an adjoining lot. If one side of a dwelling unit is so attached and the opposite side is not, the side that is not attached must provide a minimum side yard of five feet. The rear yard may be reduced to zero feet if the rear of the dwelling unit is attached to a dwelling unit on an adjoining lot. For properties abutting PLA 5D, any portion of a building exceeding 30 feet above ABE shall be no closer than 50 feet to the easterly edge of PLA 5C.

Section 60.42

Zone
PLA5C

USE ZONE CHART

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS												
Section 60.42	USE ↓ REGULATIONS ↑	Required Review Process	MINIMUMS				MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)
			Lot Size	REQUIRED YARDS (See Ch. 115)			Lot Coverage	Height of Structure				
				Front	Side	Rear						
.050	Church	Process I, Chapter 145 KZC.	7,200 sq. ft.	20'	20' on each side	20'	70%	The lower of 6 stories or 60' above average building elevation, except for properties within 325' of the PLA 5C eastern boundary, then the lower of 4 stories or 40' above average building elevation.	C	B	1 for every 4 people based on maximum occupancy load of any area of worship. See Spec. Reg. 2.	<ol style="list-style-type: none"> 1. The City may limit access points onto 6th Street and require traffic control devices and right-of-way realignment. 2. No parking is required for day-care or school ancillary to this use. 3. For properties abutting PLA 5D, any portion of a building exceeding 30 feet above ABE shall be no closer than 50 feet to the easterly edge of PLA 5C.

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS												
Section 60.42	USE ↓ REGULATIONS ↑	Required Review Process	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)	
			Lot Size	REQUIRED YARDS (See Ch. 115)			Lot Coverage					Height of Structure
				Front	Side	Rear						
.060	School or Day-Care Center	If this use is adjoining a low density zone, then Process I, Chapter 145 KZC. Otherwise, None.	7,200 sq. ft.	<p>If this use can accommodate 50 or more students or children, then:</p> <p style="text-align: center;">50' 50' on each side 50'</p> <p>If this use can accommodate 13 to 49 students or children, then:</p> <p style="text-align: center;">20' 20' on each side 20'</p>	70%	The lower of 6 stories or 60' above average building elevation, except for properties within 325' of the PLA 5C eastern boundary, then the lower of 4 stories or 40' above average building elevation.	D	B	See KZC 105.25.	<ol style="list-style-type: none"> 1. The City may limit access points onto 6th Street and require traffic control devices and right-of-way realignment. 2. May locate on the subject property only if: <ol style="list-style-type: none"> a. It will serve the immediate neighborhood in which it is located; or b. It will not be detrimental to the character of the neighborhood in which it is located. 3. A six-foot-high fence is required only along the property lines adjacent to the outside play areas. 4. Hours of operation may be limited to reduce impacts on nearby residential uses. 5. Structured play areas must be setback from all property lines as follows: <ol style="list-style-type: none"> a. 20 feet if this use can accommodate 50 or more students or children. b. 10 feet if this use can accommodate 13 to 49 students or children. 6. An on-site passenger loading area must be provided. The City shall determine the appropriate size of the loading areas on a case-by-case basis, depending on the number of attendees and the extent of the abutting right-of-way improvements. Carpooling, staggered loading/unloading time, right-of-way improvements or other means may be required to reduce traffic impacts on any nearby residential uses. 7. May include accessory living facilities for staff persons. 8. The location of parking and passenger loading areas shall be designed to reduce impacts on any nearby residential uses. 9. These uses are subject to the requirements established by the Department of Social and Health Services (WAC Title 388). 10. For properties abutting PLA 5D, any portion of a building exceeding 30 feet above ABE shall be no closer than 50 feet to the easterly edge of PLA 5C. 		

Section 60.42

Zone
PLA5C

USE ZONE CHART

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS												
Section 60.42	USE ↓ REGULATIONS ↑	Required Review Process	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)	
			Lot Size	REQUIRED YARDS (See Ch. 115)			Lot Coverage					Height of Structure
				Front	Side	Rear						
.070	Mini-School or Mini-Day-Care	If the development is south of 4th Avenue and within 180' east of 6th Street, or within 325' of the PLA 5C eastern boundary, then Administrative Design Review for buildings over 30' above average building elevation, Chapter 142 KZC. Otherwise, none.	3,600 sq. ft.	20'	5', but 2 side yards must equal at least 15'. From easterly edge of PLA 5C – 15'.	10'	70%	E	B	See KZC 105.25.	<ol style="list-style-type: none"> 1. The City may limit access points onto 6th Street and require traffic control devices and right-of-way realignment. 2. A six-foot-high fence is required along the property lines adjacent to the outside play areas. 3. Hours of operation may be limited by the City to reduce impacts on nearby residential uses. 4. Structured play areas must be setback from all property lines by 5 feet. 5. An on-site passenger loading area may be required depending on the number of attendees and the extent of the abutting right-of-way improvements. 6. The location of parking and passenger loading areas shall be designed to reduce impacts on any nearby residential uses. 7. May include accessory living facilities for staff persons. 8. These uses are subject to the requirements established by the Department of Social and Health Services (WAC Title 388). 9. For properties abutting PLA 5D, any portion of a building exceeding 30 feet above ABE shall be no closer than 50 feet to the easterly edge of PLA 5C. 	



DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS

Section 60.42	USE ↓ REGULATIONS ↓	Required Review Process	MINIMUMS				MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)
			Lot Size	REQUIRED YARDS (See Ch. 115)			Lot Coverage	Height of Structure				
				Front	Side	Rear						
.080	Assisted Living Facility	If the development is south of 4th Avenue and within 180' east of 6th Street, or within 325' of the PLA 5C eastern boundary, then Administrative Design Review for buildings over 30' above average building elevation, Chapter 142 KZC. Otherwise, none.	3,600 sq. ft.	20'	5', but 2 side yards must equal at least 15'. From easterly edge of PLA 5C – 15'.	10'	70%	<ul style="list-style-type: none"> If the development contains at least 1 acre, then the lower of 6 stories or 60' above average building elevation, except for properties within 325' of the PLA 5C eastern boundary, then the lower of 4 stories or 40' above average building elevation. If the development is south of 4th Avenue and within 180' east of 6th Street, and contains at least 0.8 acres, then the lower of 4 stories or 52' above average building elevation. If the development is south of 4th Avenue and within 180 feet east of 6th Street, and contains at least 0.4 acres, then the lower of 3 stories or 40' above average building elevation. Otherwise, 30' above average building elevation. 	D	A	1.7 per independent unit. 1 per assisted living unit.	<ol style="list-style-type: none"> A facility that provides both independent dwelling units and assisted living units shall be processed as an assisted living facility. If a nursing home use is combined with an assisted living facility use in order to provide a continuum of care for residents, the required review process shall be the least intensive process between the two uses. For density purposes, two assisted living units shall constitute one dwelling unit. Total dwelling units may not exceed the number of stacked dwelling units allowed on the subject property. Through Process IIB, Chapter 152 KZC, up to 1 1/2 times the number of stacked dwelling units allowed on the subject property may be approved if the following criteria are met: <ol style="list-style-type: none"> Project is of superior design; and Project will not create impacts that are substantially different than would be created by a permitted multifamily development. The assisted living facility shall provide usable recreational space of at least 100 square feet per unit, in the aggregate, for both assisted living units and independent dwelling units, with a minimum of 50 square feet of usable recreational space per unit located outside. The City may limit access points onto 6th Street and require traffic control devices and right-of-way realignment. Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities and activities associated with this use. For properties abutting PLA 5D, any portion of a building exceeding 30 feet above ABE shall be no closer than 50 feet to the easterly edge of PLA 5C.

Section 60.42

Zone
PLA5C

USE ZONE CHART

Section 60.42		 USE  REGULATIONS		DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS									
				Required Review Process	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)
					Lot Size	REQUIRED YARDS (See Ch. 115)			Lot Coverage				
			Front	Side	Rear								
.090	Convalescent Center or Nursing Home	Process I, Chapter 145 KZC.	7,200 sq. ft.	20'	10' on each side	10'	70%	The lower of 6 stories or 60' above average building elevation, except for properties within 325' of the PLA 5C eastern boundary, then the lower of 4 stories or 40' above average building elevation.	C	B	1 for each bed.	1. The City may limit access points onto 6th Street and require traffic control devices and right-of-way realignment. 2. If a nursing home use is combined with an assisted living facility use in order to provide a continuum of care for residents, the required review process shall be the least intensive process between the two uses. 3. For properties abutting PLA 5D, any portion of a building exceeding 30 feet above ABE shall be no closer than 50 feet to the easterly edge of PLA 5C.	
.100	Public Utility		None		20' on each side				A				See KZC 105.25.
.110	Government Facility or Community Facility				10' on each side				C See Spec. Reg. 2.				
.120	Public Park	Development standards will be determined on a case-by-case basis. See Chapter 49 KZC for required review process.											

This page left intentionally blank.