

<b>DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS</b>																
Section 60.87	USE ↓ REGULATIONS ↑	Required Review Process	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)					
			Lot Size	REQUIRED YARD (See Ch. 115)			Lot Coverage					Height of Structure				
				Front	Side	Rear										
.010	Manufacturing See Special Regulation 1.	None	None	20'	0'	0'	90%	If adjoining a low density zone other than RSX, then 25' above average building elevation. Otherwise, 35' above average building elevation with a maximum of two stories, exclusive of parking levels.	A	C	1 per each 1,000 sq. ft. of gross floor area.	<ol style="list-style-type: none"> <li>The following manufacturing uses are permitted:                             <ol style="list-style-type: none"> <li>Food, drugs, stone, clay, glass, china, ceramic products, electrical equipment, scientific or photographic equipment, fabricated metal products;</li> <li>Fabricated metal products, but not fabrication of major structural steel forms, heavy metal processes, boiler making, or similar activities;</li> <li>Cold mix process only of soap, detergents, cleaning preparations, perfumes, cosmetics, or other toilet preparations;</li> <li>Packaging of prepared materials;</li> <li>Textile, leather, wood, paper and plastic products from pre-prepared material; and</li> <li>Other compatible uses which may involve manufacturing, processing, assembling, fabrication and handling of products, and research and technological processes.</li> </ol> </li> <li>Prior to issuance of a development permit, documentation must be provided and stamped by a licensed professional verifying that the expected noise to be emanating from the site adjoining to any residential zoned property complies with the standards set forth in WAC 173-60-040(1) for a Class B source property and a Class A receiving property.</li> <li>Outdoor storage and fabrication is not permitted.</li> <li>May include as part of this use accessory wholesale, office or retail trade utilizing not more than 20 percent of the gross floor area. The landscaping and parking requirements for these accessory uses will be the same as for the primary use.</li> <li>Use shall not create noise, glare, light, dust, fumes, and other adverse conditions which disrupt the residential character of the surrounding area.</li> <li>Site and building design shall be complementary with surrounding residential, through use of design elements such as roof forms, building modulation, setbacks, and landscaping. The City may require revision of the building design, site plan or landscaping plan in order to minimize noise and enhance the visual character of the area.</li> <li>The Planning Director may allow incidental visitor parking to access from 7th Avenue South; provided, that the applicant can demonstrate that the visitor parking will not adversely affect the residential character of the neighborhood, the parking will not be used by delivery vehicles, and the design precludes expanded use of this parking.</li> </ol>				
.020	Warehouse Storage Service															
.030	Wholesale Trade															
.040	Industrial Laundry Facility															
.050	Wholesale Printing and Publishing															
.060	Wholesale Establishment or Contracting Services in Building Construction, Plumbing, Electrical, Landscaping, or Pest Control															

Section 60.87

Zone  
PLA6G

USE ZONE CHART

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS												
Section 60.87	USE ↓ REGULATIONS ↓	Required Review Process	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)	
			Lot Size	REQUIRED YARD (See Ch. 115)			Lot Coverage					Height of Structure
				Front	Side	Rear						
.070	Retail Establishment Providing Storage Services. See also Special Regulation 1.	None	None	20'	0'	0'	80%	If adjoining a low density zone other than RSX, then 25' above average building elevation. Otherwise, 35' above average building elevation with a maximum of two stories, exclusive of parking levels.	A	E	See KZC 105.25.	<ol style="list-style-type: none"> <li>1. May include accessory living facilities for resident security manager.</li> <li>2. Site and building design shall be complementary with surrounding residential, through use of design elements such as roof forms, building modulation, setbacks, and landscaping. The City may require revision of the building design, site plan or landscaping plan in order to minimize noise and enhance the visual character of the area.</li> <li>3. The Planning Director may allow incidental visitor parking to access from 7th Avenue South; provided, that the applicant can demonstrate that the visitor parking will not adversely affect the residential character of the neighborhood, the parking will not be used by delivery vehicles, and the design precludes expanded use of this parking.</li> </ol>
.080	High Technology								D	If manufacturing then 1 per each 1,000 sq. ft. of gross floor area. If office then 1 per 300 sq. ft. of gross floor area. Otherwise, See KZC 105.25.	<ol style="list-style-type: none"> <li>1. This use may include research and development, testing, assembly, repair or manufacturing or offices that support businesses involved in the pharmaceutical and biotechnology, communications and information technology, electronics and instrumentation, computers and software sectors.</li> <li>2. Prior to issuance of a development permit, documentation must be provided and stamped by a licensed professional verifying that the expected noise to be emanating from the site adjoining any residentially zoned property complies with the standards set forth in WAC 173-60-040(1) for a Class B source property and a Class A receiving property.</li> <li>3. Refer to KZC 105.115 for provisions regarding Outside Use, Activity and Storage.</li> <li>4. The Planning Director may allow incidental visitor parking to access from 7th Avenue South; provided, that the applicant can demonstrate that the visitor parking will not adversely affect the residential character of the neighborhood, the parking will not be used by delivery vehicles, and the design precludes expanded use of this parking.</li> <li>5. Use shall not create noise, glare, light, dust, fumes, and other adverse conditions which disrupt the residential character of the surrounding area.</li> <li>6. Site and building design shall be complementary with surrounding residential, through use of design elements such as roof forms, building modulation, setbacks, and landscaping. The City may require revision of the building design, site plan or landscaping plan in order to minimize noise and enhance the visual character of the area.</li> </ol>	

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS												
Section 60.87	USE ↓ REGULATIONS ↓	Required Review Process	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)	
			Lot Size	REQUIRED YARD (See Ch. 115)			Lot Coverage					Height of Structure
				Front	Side	Rear						
.090	Office Use	None	None	20'	0'	0'	70%	If adjoining a low density zone other than RSX, then 25' above average building elevation. Otherwise, 35' above average building elevation with a maximum of two stories, exclusive of parking levels.	C See Spec. Reg. 5.	D	If a Medical, Dental, or Veterinary office, then 1 per each 200 sq. ft. of gross floor area. Otherwise, 1 per each 300 sq. ft. of gross floor area.	<ol style="list-style-type: none"> <li>The Planning Director may allow incidental visitor parking to access from 7th Avenue South; provided, that the applicant can demonstrate that the visitor parking will not adversely affect the residential character of the neighborhood, the parking will not be used by delivery vehicles, and the design precludes expanded use of this parking.</li> <li>Use shall not create noise, glare, light, dust, fumes, and other adverse conditions which disrupt the residential character of the surrounding area.</li> <li>Site and building design shall be complementary with surrounding residential, through use of design elements such as roof forms, building modulation, setbacks, and landscaping. The City may require revision of the building design, site plan or landscaping plan in order to minimize noise and enhance the visual character of the area.</li> <li>Prior to issuance of a development permit, documentation must be provided and stamped by a licensed professional verifying that the expected noise to be emanating from the site adjoining any residentially zoned property complies with the standards set forth in WAC 173-60-040(1) for a Class B source property and a Class A receiving property.</li> <li>The following regulations apply only to veterinary offices:                             <ol style="list-style-type: none"> <li>If there are outdoor runs or other facilities for the animals, then use must comply with Landscape Category A.</li> <li>Outside runs and other outside facilities for the animals must be setback at least 10 feet from each property line and must be surrounded by a fence by a fence or wall sufficient to enclose the animals. See KZC 115.105, Outdoor Use, Activity and Storage, for further regulations.</li> </ol> </li> </ol>

Section 60.87

Zone  
PLA6G

USE ZONE CHART

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS												
Section 60.87	USE ↓ REGULATIONS ↓	Required Review Process	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)	
			Lot Size	REQUIRED YARD (See Ch. 115)			Lot Coverage					Height of Structure
				Front	Side	Rear						
.100	Day-Care Center See Special Regulation 7.	None	None	20'	0'	0'	80%	If adjoining a low density zone other than RSX, then 25' above average building elevation. Otherwise, 35' above average building elevation with a maximum of two stories, exclusive of parking levels.	D	B	See KZC 105.25.	<ol style="list-style-type: none"> <li>1. A six-foot-high fence is required along the property lines adjacent to the outside play areas.</li> <li>2. Hours of operation may be limited to reduce impacts on nearby residential uses.</li> <li>3. Structured play areas must be setback from all property lines as follows:                             <ol style="list-style-type: none"> <li>a. 20 feet if this use can accommodate 50 or more students or children.</li> <li>b. 10 feet if this use can accommodate 13 to 49 students or children.</li> </ol> </li> <li>4. An on-site passenger loading area must be provided if this use can accommodate five or more children. The City shall determine the appropriate size of the loading areas on a case-by-case basis, depending on the number of attendees and the extent of the abutting right-of-way improvements. Carpooling, staggered loading/unloading time, right-of-way improvements or other means may be required to reduce traffic impacts on any nearby residential uses.</li> <li>5. May include accessory living facilities for staff persons.</li> <li>6. These uses are subject to the requirements established by the Department of Social and Health Services (WAC Title 388).</li> <li>7. This use is permitted if accessory to a primary use, and:                             <ol style="list-style-type: none"> <li>a. It will not exceed 20 percent of the gross floor area of the building; and</li> <li>b. The use is integrated into the design of the building.</li> </ol> </li> </ol>
.110	Mini-Day-Care See Special Regulation 8.			30'					E		<ol style="list-style-type: none"> <li>1. A six-foot-high fence is required along the property lines adjacent to the outside play area.</li> <li>2. Hours of operation may be limited by the City to reduce impacts in nearby residential uses.</li> <li>3. Structured play areas must be setback from all property lines by five feet.</li> <li>4. An on-site passenger loading area may be required depending on the number of attendees and the extent of the abutting right-of-way improvements.</li> <li>5. The location of parking and passenger loading areas shall be designed to reduce impacts on nearby residential uses.</li> <li>6. May include accessory living facilities for staff persons.</li> <li>7. These uses are subject to the requirements established by the Department of Social and Health Services (WAC Title 388).</li> <li>8. This use is permitted if accessory to a primary use, and:                             <ol style="list-style-type: none"> <li>a. It will not exceed 20 percent of the gross floor area of the building; and</li> <li>b. The use is integrated into the design of the building.</li> </ol> </li> </ol>	

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS												
Section 60.87	USE ↓ REGULATIONS ↓	Required Review Process	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)	
			Lot Size	REQUIRED YARD (See Ch. 115)			Lot Coverage					Height of Structure
				Front	Side	Rear						
.120	Assisted Living Facility	None	3,600 sq. ft.	20'	5', but 2 side yards must equal at least 15'	10'	60%	If adjoining a low density zone other than RSX, then 25' above average building elevation. Otherwise, 35' above average building elevation.	D	A	1.7 per independent unit. 1 per assisted living unit.	<ol style="list-style-type: none"> <li>1. A facility that provides both independent dwelling units and assisted living units shall be processed as an assisted living facility.</li> <li>2. For density purposes, two assisted living units shall constitute one dwelling unit. Total dwelling units may not exceed the number of stacked dwelling units allowed on the subject property. Through Process IIB, Chapter 152 KZC, up to 1 1/2 times the number of stacked dwelling units allowed on the subject property may be approved if the following criteria are met:                             <ol style="list-style-type: none"> <li>a. Project is of superior design, and</li> <li>b. Project will not create impacts that are substantially different than would be created by a permitted multifamily development.</li> </ol> </li> <li>3. A nursing home use may be permitted as part of an assisted living facility use in order to provide a continuum of care for residents. If a nursing home use is included, the following parking standards shall apply to the nursing home portion of the facility:                             <ol style="list-style-type: none"> <li>a. One parking stall shall be provided for each bed.</li> </ol> </li> <li>4. The assisted living facility shall provide usable recreational space of at least 100 square feet per unit, in the aggregate, for both assisted living units and independent dwelling units, with a minimum of 50 square feet of usable recreational space per unit located outside.</li> <li>5. Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities, and activities associated with this use.</li> <li>6. Site design must provide for a bicycle and pedestrian path connection to Lakeview Elementary School and be available for public use.</li> <li>7. All vehicular access shall be from 7th Avenue So. Access from 5th Place South is prohibited.</li> <li>8. This use is permitted south of 7th Avenue South and only if the entire PLA 6G zone south of 7th Avenue South is included.</li> </ol>

Section 60.87

Zone  
PLA6G

USE ZONE CHART

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS												
Section 60.87	USE ↓ REGULATIONS ↑	Required Review Process	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)	
			Lot Size	REQUIRED YARD (See Ch. 115)			Lot Coverage					Height of Structure
				Front	Side	Rear						
.130	Detached, Attached or Stacked Dwelling Units. See Special Regulation 6.	None	3,600 sq. ft. per dwelling unit	20'	5' for detached units. For attached or stacked units, 5', but 2 side yards must equal at least 15'. See Spec. Reg. 7.	10' See Spec. Reg. 8.	60%	If adjoining a low density zone other than RSX, then 25' above average building elevation. Otherwise, 30' above average building elevation. See Spec. Reg. 9.	D	A	1.7 per unit.	<ol style="list-style-type: none"> <li>Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities, and activities associated with this use.</li> <li>Chapter 115 KZC contains regulations regarding common recreational space requirements for this use.</li> <li>If any portion of a structure is adjoining a low density zone, then either:                             <ol style="list-style-type: none"> <li>The height of that portion of the structure shall not exceed 15 feet above average building elevation, or</li> <li>The horizontal length of any facade of that portion of the structure which is parallel to the boundary of the low density zone shall not exceed 50 feet. See KZC 115.30, Distance Between Structures/Adjacency to Institutional Use, for further details.</li> </ol> </li> <li>Site design must provide for a bicycle and pedestrian path connection to Lakeview Elementary School and be available for public use.</li> <li>All vehicular access shall be from 7th Avenue South. Access from 5th Place South is prohibited.</li> <li>This use is only permitted south of 7th Avenue South and only if the entire PLA6G zone south of 7th Avenue South is included.</li> <li>The side yard may be reduced to zero feet if the side of the dwelling unit is attached to a dwelling unit on an adjoining lot. If one side of a dwelling unit is so attached and the opposite side is not, the side that is not attached must provide a minimum side yard of five feet.</li> <li>The rear yard may be reduced to zero feet if the rear of the dwelling unit is attached to a dwelling unit on an adjoining lot.</li> <li>Where the 25-foot height limitation results solely from an adjoining low density zone occupied by a school that has been allowed to increase its height to at least 30 feet, then a structure height of 30 feet above average building elevation is allowed.</li> </ol>

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS												
Section 60.87	USE ↓ REGULATIONS ↓	Required Review Process	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)	
			Lot Size	REQUIRED YARD (See Ch. 115)			Lot Coverage					Height of Structure
				Front	Side	Rear						
.140	Public Utility	Process IIA, Chapter 150 KZC.	None	20'	0'	0'	80%	If adjoining a low density zone other than RSX, then 25' above average building elevation. Otherwise, 35' above average building elevation, exclusive of parking levels.	A	B	See KZC 105.25.	<ol style="list-style-type: none"> <li>Landscape Category A or B may be required depending on the type of use on the subject property and the impacts associated with the use on the nearby uses.</li> <li>Site and building design shall be complementary with surrounding residential through use of design elements such as roof forms, building modulation, setbacks, and landscaping. The City may require revision of the building design, site plan or landscaping plan in order to minimize noise and enhance the visual character of the area.</li> <li>Prior to issuance of a development permit, documentation must be provided and stamped by a licensed professional verifying that the expected noise to be emanating from the site adjoining any residentially zoned property complies with the standards set forth in WAC 173-60-040(1) for a Class B source property and a Class A receiving property.</li> </ol>
.150	Government Facility or Community Facility								C See Spec. Reg. 1.			
.160	Public Park	Development standards will be determined on a case-by-case basis. See Chapter 49 KZC for required review process.										